





Вид сзади




Вид сбоку



Вид спереди



Вид сверху



- * Размеры для справок.
- Масса указана без учета упаковки.

				ИПТ-12/1500R-380 ГЧ			
				Источник питания "NEON" ИПТ-12/1500R-380 IP54 Габаритный чертеж			
				Лист	Масса	Масштаб	
				1	152,77	15	
				Лист	1	Листов	3
				АО "Электра Интел"			

Модуль управления CM

Силовой модуль PM

Модуль реверса RM

Силовой модуль PM

Модуль реверса RM

Силовой модуль PM

50

54

581

152

143,5

A



[illegible]

Technical drawing of a rectangular table with the following dimensions and details:

- Overall width: 578
- Overall length: 150,5
- Top edge dimensions: 105 (left), 363 (center), 105 (right)
- Right edge dimensions: 20 (top), 42 (bottom)
- Bottom edge dimensions: 25 (left), 12,5 (center)
- Bottom left corner detail: $\phi 10$ 4 отв.
- Bottom right corner detail: $\phi 25$ 8 радиусов

Technical drawing of a mechanical part, labeled A(2:1). The drawing shows a cross-section of a cylindrical component with a central vertical slot. The outer diameter is 30. The central slot has a width of 20. The distance from the top edge to the first hole is 38. The distance between the two holes is 60. The distance from the second hole to the bottom edge is 38. The holes have a diameter of 10. The drawing is labeled with dimensions in millimeters (мм) and the unit '2 мм/мм'.

Габариты упаковки



Масса источника с учетом упаковки = 183 кг